	Application No.	Applicant(s)	
Notice of Allowability	10/519,719	TARUTANI ET AL.	
	Examiner	Art Unit	
	Jay M. Patidar	2862	·
The MAILING DATE of this communication appe			ess
All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	olication. If not includ will be mailed in due	ed course. THIS
1. \boxtimes This communication is responsive to <u>communication filed communication</u>	on 12/30/2004.		
2. X The allowed claim(s) is/are <u>1-10</u> .			
 Acknowledgment is made of a claim for foreign priority ur a)	nder 35 U.S.C. § 119(a)-(d) or (f).		
 Certified copies of the priority documents have 	e been received.		
Certified copies of the priority documents have	been received in Application No	·	
Copies of the certified copies of the priority do	cuments have been received in this	national stage applica	ition from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the re	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			NOTICE OF
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) I including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-	948) attached	
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawing he header according to 37 CFR 1.121(ngs in the front (not the d).	e back) of
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC.	must be submitted. AL MATERIAL.	Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PT	O-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	• • • • • • • • • • • • • • • • • • • •	,
	Paper No./Mail Da	te	
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	08), 7. ☐ Examiner's Amendr	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Stateme	ent of Reasons for Alle	owance
of Biological Material	9.		

Application/Control Number: 10/519,719

Art Unit: 2862

1. Figures 2-3 should be designated by a legend such as --Prior Art--because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 2

2. The drawings are objected to because fig. 10 on page 13 (below fig. 15) should be deleted since fig. 10 is already on page 8 of the drawings. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining

Application/Control Number: 10/519,719

Page 3

Art Unit: 2862

figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

- 3. Claims 1-10 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: The prior art fails to show a superconducting driver circuit for voltage amplification with different stages in which a superconducting flux quantum interference device constructing a closed loop having two superconducting junctions and an inductor sharing either an inductor or a junction as set forth in claims1 or 3. Because none of the prior art teaches or suggests this element, this feature, taken together with the other limitations of the claims renders the claims allowable over the prior art.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jay M. Patidar whose telephone number is 571-272-2265. The examiner can normally be reached on M-Thur 7:00-5:30.

The fax number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2862

Jay M. Patidar Primary Examiner Art Unit 2862

Email: <u>Jay.Patidar@USPTO.gov</u>

January 5, 2006